

## Remote Meter

Manual Feed Operation for Hydro Instruments Gas Feed System

RMH-2000-CL2	<i>Features</i>
 <p>The image shows a vertical, cylindrical remote meter with a yellow scale and a black top cap. It has two horizontal ports on the sides. A faint Hydro Instruments logo is visible in the background.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 3000</li> <li>• Comes standard with Series 3000 Remote &amp; Switchover System</li> <li>• 1000 PPD , 2000 PPD , 4000 PPD Chlorine &amp; Sulfur Dioxide</li> <li>• 500 PPD Ammonia</li> </ul>

RM-702	<i>Features</i>
 <p>The image shows a vertical, cylindrical remote meter with a white scale and a black top cap. It has two horizontal ports on the sides. A faint Hydro Instruments logo is visible in the background.</p>	<ul style="list-style-type: none"> <li>• Newest Design</li> <li>• Easier to operate &amp; more convenient</li> <li>• Designed for Hydro Series 700/750</li> <li>• 500 PPD Chlorine &amp; Sulfur Dioxide</li> <li>• 250 PPD Ammonia</li> </ul>

Hydro Instrument (S) Pte Ltd.

Tel. +65 822-31377 ; Fax. +65 6725-8388

Email: [marketing@hydroinstrument-sg.com](mailto:marketing@hydroinstrument-sg.com) ; Website: [www.hydroinstrument-sg.com](http://www.hydroinstrument-sg.com)

## Remote Meter

Manual Feed Operation for Hydro Instruments Gas Feed System

RM-701	Features
 <p>The RM-701 remote meter is a vertical, cylindrical device with a central glass tube containing a float and scale. It has two black hexagonal nuts on the top and bottom for adjustment. A faint Hydro Instruments logo is visible in the background.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 700/750</li> <li>• Comes standard with Series 700/750 Remote Feed &amp; Switchover System</li> <li>• 500 PPD Chlorine &amp; Sulfur Dioxide 250 PPD Ammonia</li> </ul>

RM-401	Features
 <p>The RM-401 remote meter is a horizontal, rectangular device with a central glass tube containing a float and scale. It has a black hexagonal nut on the left side and a smaller adjustment knob on the right. A faint Hydro Instruments logo is visible in the background.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 500</li> <li>• Comes standard with Series 500 Remote Feed &amp; Switchover System</li> <li>• 100 PPD Chlorine &amp; Sulfur Dioxide 50 PPD Ammonia</li> </ul>

Hydro Instrument (S) Pte Ltd.

Tel. +65 822-31377 ; Fax. +65 6725-8388

Email: [marketing@hydroinstrument-sg.com](mailto:marketing@hydroinstrument-sg.com) ; Website: [www.hydroinstrument-sg.com](http://www.hydroinstrument-sg.com)

## Remote Meter

Manual Feed Operation for Hydro Instruments Gas Feed System

RM-200	<i>Features</i>
 <p>The RM-200 remote meter is a compact, grey metal device with a central glass scale. It features two black adjustment knobs on the top and two black ports on the bottom. The scale is marked with numerical values and has a blue and white color scheme.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 200</li> <li>• Comes standard with Series 200 Remote Feed &amp; Switchover System</li> <li>• 250 PPD Chlorine &amp; Sulfur Dioxide 100 PPD Ammonia</li> </ul>

MPH-256-CL2	<i>Features</i>
 <p>The MPH-256-CL2 remote meter is a vertical, grey metal device with a central glass scale. It features a black adjustment knob on the top and two black ports on the bottom. The scale is marked with numerical values and has a yellow and white color scheme.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 300</li> <li>• Comes standard with Series 300 Remote Feed &amp; Switchover System</li> <li>• 250 PPD Chlorine &amp; Sulfur Dioxide</li> </ul>

Hydro Instrument (S) Pte Ltd.

Tel. +65 822-31377 ; Fax. +65 6725-8388

Email: [marketing@hydroinstrument-sg.com](mailto:marketing@hydroinstrument-sg.com) ; Website: [www.hydroinstrument-sg.com](http://www.hydroinstrument-sg.com)

## Remote Meter

Manual Feed Operation for Hydro Instruments Gas Feed System

MPH-100-CL2	<i>Features</i>
 <p>The image shows the MPH-100-CL2 remote meter, a grey metal device with a vertical glass scale and various ports.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 300</li> <li>• Comes standard with Series 300 Remote Feed &amp; Switchover System</li> <li>• 100 PPD Chlorine &amp; Sulfur Dioxide 50 PPD Ammonia</li> </ul>

MPH-500-CL2	<i>Features</i>
 <p>The image shows the MPH-500-CL2 remote meter, a grey metal device with a vertical glass scale and various ports, similar in design to the MPH-100-CL2 but with a larger scale.</p>	<ul style="list-style-type: none"> <li>• Designed for Hydro Series 300</li> <li>• Comes standard with Series 300 Remote Feed &amp; Switchover System</li> <li>• 500 PPD Chlorine &amp; Sulfur Dioxide</li> </ul>

Hydro Instrument (S) Pte Ltd.

Tel. +65 822-31377 ; Fax. +65 6725-8388

Email: [marketing@hydroinstrument-sg.com](mailto:marketing@hydroinstrument-sg.com) ; Website: [www.hydroinstrument-sg.com](http://www.hydroinstrument-sg.com)